L Number	Hits	Search Text	DB	Time stamp
4	0	5822206.pn. and (inference\$4 same frame\$2	USPAT;	2003/12/04 09:52
)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
5	1	5822206.pn. and (inference\$4 and frame\$2	USPAT;	2003/12/04 09:56
)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	-
8	0	5822206.pn. and (config\$4 same product\$3	USPAT;	2003/12/04 09:57
		same inference\$3)	US-PGPUB;	2003/12/04 09.37
		,	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
9	0	selection and (configuration productes	USPAT;	2003/12/04 09:57
		and inference\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
10	0	5922206 pp and /confided and producted	IBM_TDB	00007/10/04 00 57
*	l	5822206.pn. and (config\$4 and product\$3 and inference\$3)	USPAT; US-PGPUB;	2003/12/04 09:57
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
11	0	tripin and (odiningur) and producted	USPĀT;	2003/12/04 09:57
		and inference\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
12	1	5822206.pn. and (design\$3 and product\$3	IBM_TDB	2002/10/04 00 50
12	1	and inference\$3)	USPAT;	2003/12/04 09:58
		and interencess ,	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
13	0	5822206.pn. and (design\$3 same product\$3	USPĀT;	2003/12/04 09:58
		same inference\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
14	1	5822206 pp and (designed some producted	IBM_TDB	0000/10/04 00 50
* *		5822206.pn. and (design\$3 same product\$3 and inference\$3)	USPAT; US-PGPUB;	2003/12/04 09:58
		and interessed /	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	72461	(gui or ui or (user near2 interfac\$2))	USPAT;	2002/09/23 12:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	154	((qui or ui or (user none) interfactor))	IBM_TDB	2002/00/22 22 22
	124	((gui or ui or (user near2 interfac\$2))) near5 input near5 confiq\$5	USPAT; US-PGPUB;	2002/09/23 12:47
			EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
-	0		USPAT;	2002/09/23 12:46
		near5 input near5 config\$5) and (frame\$1	US-PGPUB;	
		near3 engin\$2)	EPO; JPO;	
			DERWENT;	
]_	2047	output poor5 conficts data	IBM_TDB	0000/00/00 10 15
1	204/	output near5 config\$5 near5 data	USPAT;	2002/09/23 12:47
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
j -	243		USPAT;	2002/09/23 12:48
		near5 input near5 config\$7	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

_	0	<pre>(frame\$1 near3 engin\$2) and (((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$7)</pre>	USPAT; US-PGPUB; EPO; JPO;	2002/09/23 12:48
-	2	<pre>(output near5 config\$5 near5 data) and (((gui or ui or (user near2 interfac\$2)))</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/09/23 12:51
		near5 input near5 config\$7)	EPO; JPO; DERWENT; IBM TDB	
-	4	<pre>(frame\$1 near3 engin\$2) and ((output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2))))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/23 12:52
-	3	((output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2)))) and inferenc\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/23 12:58
-	309	(output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/23 13:19
-	7874	config\$7 near5 (product\$1or service\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/23 13:20
_	20689	config\$7 near5 (product\$1 or service\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/23 13:21
_	503	config\$7 near5 (product\$1 or service\$2) near5 order\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/23 13:27
-	3	<pre>(config\$7 near5 (product\$1 or service\$2) near5 order\$4) same internet same (on-line or online)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/23 13:23
-	1	(config\$7 near5 (product\$1 or service\$2) near5 order\$4) same (e-commerce)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/23 13:24
-	7	<pre>(config\$7 near5 (product\$1 or service\$2) near5 order\$4) same (commerce)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/23 13:24
-	72	config\$7 near5 (product\$1 or service\$2) near5 order\$4 near10 custom\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/23 14:14
-	1532	custom\$7 near5 product\$1 near5 order\$4	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/09/23 14:18
-	11	(custom\$7 near5 product\$1 near5 order\$4) same (e-commerce\$1 or ecommerce\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/23 14:18

-	15097	custom\$7 near5 product\$1	USPAT; US-PGPUB;	2002/09/23 14:18
			EPO; JPO;	
			DERWENT; IBM TDB	
-	108	(custom\$7 near5 product\$1) same	USPAT;	2002/09/23 14:19
		(e-commerce\$1 or ecommerce\$1)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	2	5745765.pn.	IBM_TDB USPAT;	2002/10/15 16:05
		3743703.pii.	US-PGPUB;	2002/10/13 16:03
			EPO; JPO;	
			DERWENT; IBM TDB	,
_	2	5877966.pn.	USPĀT;	2002/10/15 16:05
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	8810	 frame\$1 near3 engin\$2	IBM_TDB USPAT;	2002/10/15 16:32
			US-PGPUB;	2002/10/13 10.32
			EPO; JPO; DERWENT;	
			IBM TDB	
-	9	(frame\$1 near3 engin\$2) and (config\$5 near5 product\$1)	USPAT; US-PGPUB;	2002/10/15 16:33
		nears productyry	EPO; JPO;	
			DERWENT;	
-	13	(frame\$1 near3 engin\$2) and (config\$7	IBM_TDB USPAT;	2002/10/15 16:36
		near5 product\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	
_	6	cad near5 custom\$4 near5 product\$1	USPAT; US-PGPUB;	2002/10/15 16:43
			EPO; JPO;	
			DERWENT; IBM TDB	
-	12	cad near10 custom\$4 near5 product\$1	USPAT;	2002/10/15 16:44
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	72521	(ui or (user near2 interfac\$2))	IBM_TDB	2000/10/00 10 00
	72321	(ul or (user hearz interfac\$2))	USPAT; US-PGPUB;	2002/10/22 13:23
			EPO; JPO;	
			DERWENT; IBM TDB	
-	179	1 ((USPĀT;	2002/10/22 13:23
		(project\$5 near5 config\$6)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	102	(((ui or (user near2 interfac\$2))) and	IBM_TDB USPAT;	2002/10/22 13:24
		(project\$5 near5 config\$6)) and (fram\$3 or	US-PGPUB;	
		inferenc\$5)	EPO; JPO; DERWENT;	
	2.5		IBM_TDB	
-	25	((((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)) and (fram\$3 or	USPAT; US-PGPUB;	2002/10/22 13:25
		inferenc\$5)) and (output near5 config\$6)	EPO; JPO;	
			DERWENT; IBM TDB	
-	25	((())== o= (doo= mode= incorracy=/// and	USPAT;	2002/10/22 13:25
		(project\$5 near5 config\$6)) and (fram\$3 or inferenc\$5)) and (output\$5 near5	US-PGPUB;	
		config\$6)	EPO; JPO; DERWENT;	
<u>. </u>			IBM_TDB	

-	0	6351734.pn. and (configur\$4 near5 product\$1)	USPAT; US-PGPUB; EPO; JPO;	2003/05/07 11:24
			DERWENT; IBM_TDB	
_		6351734.pn. and (configur\$4 same product\$1)	USPAT; US-PGPUB; EPO; JPO;	2003/05/07 11:24
_	1	1,2 = 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	DERWENT; IBM_TDB USPAT;	2003/05/08 10:35
		same fram\$1	US-PGPUB; EPO; JPO; DERWENT;	
-	6	"CAD" same (product\$3 near5 design) same fram\$1	IBM_TDB USPAT; US-PGPUB;	2003/05/07 15:00
	661	MCADU como (mandunto) non E docimo	EPO; JPO; DERWENT; IBM_TDB	2002/05/07 15:00
	961	"CAD" same (product\$3 near5 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/07 15:00
-	20	("CAD" same (product\$3 near5 design)) and (question\$3 same answer\$3)	IBM_TDB USPAT; US-PGPUB;	2003/05/07 15:02
		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	EPO; JPO; DERWENT; IBM TDB	
-	110	((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)	USPAT; US-PGPUB; EPO; JPO;	2003/05/08 10:14
_	0	(((UI or (user near2 interface)) near5	DERWENT; IBM_TDB USPAT;	2003/05/08 10:16
	-	receiv\$4 near5 configurat\$4)) and ((frame\$1 near3 engin\$2) near5 output near5 configurat\$4) same inference\$1	US-PGPUB; EPO; JPO; DERWENT;	
-	0	receiv\$4 near5 configurat\$4)) and	IBM_TDB USPAT; US-PGPUB;	2003/05/08 10:16
		((frame\$1 near3 engin\$2) near5 output\$3 near5 configurat\$4) same inference\$1	EPO; JPO; DERWENT; IBM_TDB	0000/05/00 10 17
-		(((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and (frame\$1 near5 output\$3 near5 configurat\$4) same inference\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/08 10:17
_	0		IBM TDB USPAT; US-PGPUB;	2003/05/08 10:18
		(frame\$1 near5 engine\$1)	EPO; JPO; DERWENT; IBM TDB	
-	33	(((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and (frame\$1)	USPAT; US-PGPUB; EPO; JPO;	2003/05/08 10:25
_	17579	product\$3 near5 configurat\$4	DERWENT; IBM_TDB USPAT;	2003/05/08 10:27
			US-PGPUB; EPO; JPO; DERWENT;	
-	0	(product\$3 near5 configurat\$4) and (fram\$3 near5 engine\$1) same inferenc\$3	IBM_TDB USPAT; US-PGPUB;	2003/05/08 10:28
			EPO; JPO; DERWENT; IBM TDB	

-	0	((product\$3 near5 configurat\$4) and	USPAT;	2003/05/08 10:28
		(fram\$3 near5 engine\$1)) and inferenc\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	17	(product02	IBM_TDB	2002/05/00 10:21
-	1 1	(product\$3 near5 configurat\$4) and (fram\$3 near5 engine\$1)	USPAT; US-PGPUB;	2003/05/08 10:31
		nears enginesi)	EPO; JPO;	
		· ·	DERWENT;	
			IBM TDB	
-	9519	fram\$3 near3 engine\$1	USPAT;	2003/05/08 10:32
		,	US-PGPUB;	2000,00,00 20.02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB ·	·
-	0	(fram\$3 near3 engine\$1) same (output\$4	USPAT;	2003/05/08 10:34
		near5 configurat\$4 near5 data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	5	(frame)	IBM_TDB	0000/05/00 10 04
-]	(fram\$3 near3 engine\$1) and (output\$4 near5 configurat\$4 near5 data)	USPAT; US-PGPUB;	2003/05/08 10:34
		nears configuracy hears data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	24636	CAD	USPAT;	2003/05/08 10:35
			US-PGPUB;	111, 50, 50 10.55
			EPO; JPO;	
			DERWENT;	
	Ì		IBM_TDB	
-	91	(CAD) and (configurat\$4 near5 fram\$2)	USPAT;	2003/05/08 10:37
			US-PGPUB;	
			EPO; JPO;	
1	•		DERWENT;	
	0	((CAD) and (configurat\$4 near5 fram\$2))	IBM_TDB USPAT;	2002/05/00 10-27
		and (inferenc\$3 near5 ouput\$3)	USPAT; US-PGPUB;	2003/05/08 10:37
		and (interences hears oupuces)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	((CAD) and (configurat\$4 near5 fram\$2))	USPAT;	2003/05/08 10:38
		and (inferenc\$3 same ouput\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	((CAD) and (configurat\$4 near5 fram\$2))	USPAT;	2003/05/08 10:52
		and (inferenc\$3)	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT; IBM TDB	
_	13710	5293478.pn. (frame\$1 near5 engine\$1)	USPAT;	2003/05/08 10:53
	13,10		US-PGPUB;	2003/03/06 10:33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	5293479.pn. and (frame\$1 near5 engine\$1)	USPĀT;	2003/05/08 10:53
	·		US-PGPUB;	
			EPO; JPO;]
			DERWENT;	
		5000470	IBM_TDB	
-	1	5293479.pn. and (frame\$1 same engine\$1)	USPAT;	2003/05/08 14:20
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1_	0	5293479.pn. and (user\$1 near5 input\$4	IBM_TDB	2002/05/00 10-56
1		near5 configurat\$4)	USPAT; US-PGPUB;	2003/05/08 10:56
			EPO; JPO;	
			DERWENT;	
ĺ			IBM TDB	
L	·		1 100	L

-	0	5293479.pn. and (user\$1 near7 input\$4 near7 configurat\$4)	USPAT; US-PGPUB;	2003/05/08 10:56
	3		EPO; JPO; DERWENT;	
			IBM_TDB	
_	0		USPAT;	2003/05/08 10:57
		configurat\$4)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	5293479.pn. and (output\$4 near7	USPĀT;	2003/05/08 10:57
		configurat\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	0	5293479.pn. and (input\$4 same	USPAT;	2003/05/08 10:58
		configurat\$4)	US-PGPUB;	
}		•	EPO; JPO;	
			DERWENT;	
	1	5293479.pn. and (input\$4 same output\$4)	IBM_TDB USPAT;	2003/05/08 11:05
		and and angular same supplied	US-PGPUB;	2303, 33, 33
]		EPO; JPO;	
	1		DERWENT;	
_	1	 5293479.pn. and (select\$4 near5 project\$1)	IBM_TDB USPAT;	2003/05/08 11:07
		5255475.pm. and (Selective Heals projection)	US-PGPUB;	2003/03/00 11:0/
1	1		EPO; JPO;	
			DERWENT;	
	1	F202470 and (wash name)	IBM_TDB	2002/05/00 11.11
-	1	5293479.pn. and (user near3 interface)	USPAT; US-PGPUB;	2003/05/08 11:11
			EPO; JPO;	
			DERWENT;	
		5002470	IBM TDB	0000/05/00 11 11
-	0	5293479.pn. and (user near3 interface near5 configurat\$5)	USPAT; US-PGPUB;	2003/05/08 11:11
		Hears confriguratess/	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0003/05/00 13 00
-	1	5293479.pn. and (user near3 interface near10 configurat\$5)	USPAT; US-PGPUB;	2003/05/08 13:28
		inculto configuraces,	EPO; JPO;	
			DERWENT;	
	5140	1 100 100 100 100 100 100 100 100 100 1	IBM_TDB	0000/05/00 10 01
_	5142	<pre>product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)</pre>	USPĀT; US-PGPUB;	2003/05/08 13:31
		21000M41 MOCHOW41/	EPO; JPO;	
			DERWENT;	
	1100	nundust62 nan4 san5i	IBM_TDB	2002/05/20 12 22
_	1102	<pre>product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1)</pre>	USPAT; US-PGPUB;	2003/05/08 13:32
		2/20044 1100110041/	EPO; JPO;	
			DERWENT;	
	(160	(maduat 02 man) dari = 02 =	IBM_TDB	2002/05/02 12 22
-	6168	(product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4	USPAT; US-PGPUB;	2003/05/08 13:32
		configurat\$3 near4 (tool\$1 system\$1	EPO; JPO;	
		method\$1))	DERWENT;	
	_	//pmoduat62 mage4 design62 ====4 /4 = 3.65	IBM_TDB	2002/05/02 12 22
-	0	((product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4	USPAT; US-PGPUB;	2003/05/08 13:36
		configurat\$3 near4 (tool\$1 system\$1	EPO; JPO;	
		method\$1))) and ((frame\$1 near3 engine\$1)	DERWENT;	
		near5 (output\$3 display\$4)) same	IBM_TDB	
_	0	inference\$3 ((product\$3 near4 design\$3 near4 (tool\$1	USPAT;	2003/05/08 13:35
		system\$1 method\$1)) or (product\$3 near4	US-PGPUB;	
		configurat\$3 near4 (tool\$1 system\$1	EPO; JPO;	
		method\$1))) and ((frame\$1) near5 (output\$3 display\$4)) same inference\$3	DERWENT; IBM TDB	
L	ــــــــــــــــــــــــــــــــــــــ	crabialdall same interencess	TOR IND	<u> </u>

_	1	((product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4	USPAT; US-PGPUB;	2003/05/08 13:35
		<pre>configurat\$3 near4 (tool\$1 system\$1 method\$1))) and ((frame\$1) same (output\$3</pre>	EPO; JPO; DERWENT;	
		display\$4)) same inference\$3	IBM_TDB	
-	0	5293479.pn. and (frame\$1 same	USPĀT;	2003/05/08 14:21
		assembling\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	1	5293479.pn. and (frame\$1 same assembl\$4)	USPAT;	2003/05/08 14:23
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	5293479.pn. and (frame\$1 near10 assembl\$4)	IBM_TDB USPAT;	2003/05/08 14:24
	1	3233473.pm. und (liamevi healio assembiv4)	US-PGPUB;	2003/03/00 14.24
			EPO; JPO;	
			DERWENT;	
		5000470	IBM_TDB	
-	. 1	5293479.pn. and (frame\$1 same engin\$2)	USPAT;	2003/05/08 14:42
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	First /	USPAT;	2003/05/08 14:43
		interface\$1)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	. 0	5293479.pn. and (access\$4 near10	USPAT;	2003/05/08 14:43
		interface\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	0	5293479.pn. and (access\$4 same	USPAT;	2003/05/08 14:44
		interface\$1)	US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB	
-	1	5293479.pn. and (access\$4 and interface\$1)	USPAT;	2003/05/08 14:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	1	5293479.pn. and (project\$4 near10	USPAT;	2003/05/08 14:57
		select\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	1
-	0	5784286.pn. and (product\$1 near10	USPAT;	2003/05/08 16:56
		knowledg\$3)	US-PGPUB;	10.00
			EPO; JPO;	
			DERWENT;	
-	1	5784286.pn. and (hierarch\$4)	IBM_TDB USPAT;	2003/05/08 17:00
	_	distribution (mistatomy)	US-PGPUB;	2303/03/00 17.00
			EPO; JPO;	
			DERWENT;	
_	24711	product\$1 near3 design\$3	IBM_TDB USPAT;	2003/05/08 17:01
	24/11	broducti Hears designs	US-PGPUB;	2003/03/08 17:01
			EPO; JPO;	
			DERWENT;	
<u> </u>	66451	(mmaduatic)	IBM_TDB	0000/05/00 55 55
-	66451	(product\$1 configur\$6) near3 design\$3	USPAT; US-PGPUB;	2003/05/08 17:02
			EPO; JPO;	
			DERWENT;	
1				

-	33	((product\$1 configur\$6) near3 design\$3)	USPAT;	2003/05/08 17:05
		and (product\$1 near5 (information knowledg\$3) near5 hierarch\$4)	US-PGPUB; EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	2	5966310.pn.	USPAT;	2003/05/16 14:16
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		*	IBM_TDB	
-	67546	product\$3 near5 (design\$3 config\$6)	USPAT;	2003/12/01 13:55
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	5161	computer same (product\$3 near5 (design\$3	USPAT;	2003/12/01 13:39
		config\$6))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	5161	computer\$3 same (product\$3 near5 (design\$3	USPAT;	2003/12/01 13:26
		config\$6))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	(computer\$3 same (product\$3 near5	USPAT;	2003/12/01 13:31
		(design\$3 config\$6))) and (hierarch\$4	US-PGPUB;	
		near5 product\$4 near5 frame\$3)	EPO; JPO;	
			DERWENT;	
_	122	(computer\$3 same (product\$3 near5	IBM_TDB USPAT;	2003/12/01 13:32
		(design\$3 config\$6))) and (hierarch\$4	US-PGPUB;	2000, 12, 01 13.32
		near5 product\$4)	EPO; JPO;	
			DERWENT;	
_	6	((computer\$3 same (product\$3 near5	IBM_TDB USPAT;	2003/12/01 13:35
		(design\$3 config\$6))) and (hierarch\$4	US-PGPUB;	2003/12/01 13.33
		near5 product\$4)) and (frame\$3 near5	EPO; JPO;	
		assembl\$3)	DERWENT;	
_	6688	computer same (product\$3 near8 (design\$3	<pre>IBM_TDB USPAT;</pre>	2003/12/01 13:39
	0000	config\$6))	US-PGPUB;	2003/12/01 13:39
		,	EPO; JPO;	
			DERWENT;	
_	458	(gomputer same (product\$2 pears (decien\$2	IBM_TDB	2002/12/01 12:52
	456	<pre>(computer same (product\$3 near8 (design\$3 config\$6))) and (question\$3 same (answer\$3</pre>	USPĀT; US-PGPUB;	2003/12/01 13:53
		ask\$4))	EPO; JPO;	
			DERWENT;	
1_	177	(/computer come /producted 42	IBM_TDB	2002/10/01 12 52
-	17	((computer same (product\$3 near8 (design\$3 config\$6))) and (question\$3 same (answer\$3	USPAT; US-PGPUB;	2003/12/01 13:52
		ask\$4))) and (frame\$3 and inference\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4	(transparent (parametric means (according	USPAT;	2003/12/01 13:46
		<pre>config\$6))) and (question\$3 same (answer\$3 ask\$4))) and (frame\$3 same inference\$3)</pre>	US-PGPUB; EPO; JPO;	.
		The state of the s	DERWENT;	
			IBM_TDB	
-	158	(computer same (product\$3 near8 (design\$3	USPAT;	2003/12/01 13:53
		<pre>config\$6))) and (product\$3 same question\$3 same (answer\$3 ask\$4))</pre>	US-PGPUB; EPO; JPO;	
		Came (anonotys askys)	DERWENT;	
			IBM_TDB	
-	2	((computer same (product\$3 near8 (design\$3	USPĀT;	2003/12/01 13:54
		config\$6))) and (product\$3 same question\$3	US-PGPUB;	
i		same (answer\$3 ask\$4))) and (assembl\$4 same inference\$3)	EPO; JPO; DERWENT;	
			IBM TDB	
				·

-	903	<pre>(product\$3 near5 (design\$3 config\$6)) and (product\$3 near7 (question\$4 ask\$3))</pre>	USPAT; US-PGPUB;	2003/12/01 13:57
			EPO; JPO; DERWENT; IBM TDB	
-	110	<pre>(computer\$3 same (product\$3 near5 (design\$3 config\$6))) and (assembl\$4 near9 frame\$4)</pre>	USPĀT; US-PGPUB; EPO; JPO;	2003/12/01 13:57
			DERWENT; IBM_TDB	
_	4	((computer\$3 same (product\$3 near5 (design\$3 config\$6))) and (assembl\$4 near9 frame\$4)) and (inference\$3 and pric\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/01 13:58
-	27531	"CAD"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 09:43
-	146	"CAD" and (inference\$4 and hierarch\$4)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:26
_	35	and ((request\$4 question\$4) same (answer\$3	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/02 09:58
-	2	ask\$3)) 4964060.pn.	EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/12/02 10:09
			US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
_	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 09:59
_	1 .	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:00
_	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:00
-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:01
	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:05
_	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3 and cad)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:05
_	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3 and cad and database\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:06
			IBM TDB	

-	1	4964060.pn. and (product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3	USPAT; US-PGPUB;	2003/12/02 10:23
		<pre>and question\$3 and inference\$3 and configur\$3 and cad and database\$1 and expert\$3)</pre>	EPO; JPO; DERWENT; IBM TDB	
-	1	4964060.pn. and (product\$3 same knowledg\$3)	USPĀT; US-PGPUB; EPO; JPO;	2003/12/02 10:10
		4064060	DERWENT; IBM_TDB	0000/10/00 10 10
-	0	4964060.pn. and (product\$3 same knowledg\$3 same hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:10
_	1	4964060.pn. and (product\$3 same knowledg\$3 and hierarch\$4)	IBM_TDB USPAT; US-PGPUB;	2003/12/02 10:16
		•	EPO; JPO; DERWENT; IBM_TDB	
-	1	4964060.pn. and (product\$3 same knowledg\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:13
	1	4964060.pn. and (product\$3 and knowledg\$3	IBM_TDB USPAT; US-PGPUB;	2003/12/02 10:13
	_	4064060	EPO; JPO; DERWENT; IBM_TDB	0000 (10 (00 10 1
-	1	4964060.pn. and (knowledg\$3 and hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:16
-	3	(product\$1 and knowledg\$3 and hierarch\$5 and frame\$3 AND answer\$3 and question\$3 and inference\$3 and configur\$3 and cad and database\$1 and expert\$3 and price\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:23
-	303	"CAD" and (inference\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:26
_	117	("CAD" and (inference\$4)) and (reqest\$4 question\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:26
_	3	(("CAD" and (inference\$4)) and (reqest\$4 question\$3)) and ((configur\$4 draw\$4) near7 product\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/02 10:28
_	158837	(product\$3 frame\$1) near5 (design\$3 draw\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:29
_	5160	((product\$3 frame\$1) near5 (design\$3 draw\$4)) and (product\$1 near5 (knowledg\$4 information))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:30
_	128	<pre>(((product\$3 frame\$1) near5 (design\$3 draw\$4)) and (product\$1 near5 (knowledg\$4 information))) and (request\$3 question\$2</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:31
		answer\$3) and Inference\$3	DERWENT; IBM_TDB	

Γ-	61	((((product\$3 frame\$1) near5 (design\$3	USPAT;	2003/12/02 10:32
	""	draw\$4)) and (product\$1 near5 (knowledg\$4	US-PGPUB;	=====================================
		information))) and (request\$3 question\$2	EPO; JPO;	
		answer\$3) and Inference\$3) and price\$3	DERWENT;	
	ŀ	diswerys, and inferencess, and pricess	IBM TDB	
	2	5822206.pn.	USPAT;	2003/12/03 14:55
-	_	3022200.pm.	US-PGPUB;	2003/12/03 14:33
	İ		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	۱ ۵	5822206.pn. and (knowledg\$3 same	USPAT:	2003/12/03 14:56
		hierarch\$4 same strucutre\$3)	US-PGPUB;	2003/12/03 11.30
		Interdiction Same Structure(3)	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
		5822206.pn. and (knowledg\$3 same	USPAT;	2003/12/03 14:56
1 7		hierarch\$4 same strucuture\$3)	US-PGPUB;	2003/12/03 14.30
	1	interacting same structuress)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
	,	5822206.pn. and (knowledg\$3 same	USPAT;	2003/12/03 15:04
-	1	hierarch\$4 same structure\$3)	US-PGPUB;	2003/12/03 13.04
		mierarchy4 same structure93/	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
		5822206.pn. and (categor\$4 same frame\$2	USPAT:	2003/12/03 15:05
-		same node\$2)	US-PGPUB;	2003/12/03 13.03
		same node\$2)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
		E022206 pp and /mategorith and frameta	USPAT;	2003/12/03 15:05
_	1	5822206.pn. and (categor\$4 and frame\$2 and	•	2003/12/03 13:05
		node\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		5000000 and /ashanan04 and farme00	IBM_TDB	2003/12/04 09:51
-	1	5822206.pn. and (categor\$4 and frame\$2)	USPAT;	2003/12/04 09:51
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	T .		IBM_TDB	1